

Unit 2.2 Sets and Graphs


Algorithms

EE/NTHU

Mar. 14, 2018

Disjoint Sets


- Disjoint sets
 - Assume the elements are numbered $1, 2, \dots, n$.
 - Disjoint sets S_i, S_j such that $S_i \cap S_j = \emptyset, i \neq j$.
 - Forest can be used to represent disjoint sets
- Example: $S_1 = \{1, 7, 8, 9\}, S_2 = \{2, 5, 10\}, S_3 = \{3, 4, 6\}$.



- Note that for the forest the link is pointing from child to parent.
 - In this way, the set name can be found by following the pointers.

Disjoint Sets – Array Representation

- Simple array can also be used to represent disjoint sets.
- Example: $S_1 = \{1, 7, 8, 9\}$, $S_2 = \{2, 5, 10\}$, $S_3 = \{3, 4, 6\}$.




	1	2	3	4	5	6	7	8	9	10
p	-1	5	-1	3	-1	3	-1	1	1	5

- A single array, p , can represent the disjoint sets.
- Operations important to set manipulations
 - **Union**: Merge two disjoint sets into one.
 - **Find(i)**: Given an element i find the set that contains i .

Disjoint Sets – Union

- Two disjoint sets can be united easily.
- Example



$S_1 \cup S_2$

$S_1 \cup S_2$

- Both scenarios are legal and efficient.
- Union of two sets are done by setting one of the roots to be the parent of another root.

Disjoint Sets – Algorithms

- Using the array p to represent the disjoint sets, then the following algorithms perform the desired operations.

Algorithm 2.2.1. Set Union.

```
1 Algorithm SetUnion( $i, j$ )
2 // Form union of two sets with roots,  $i$  and  $j$ .
3 {
4      $p[i] := j$ ;
5 }
```

Algorithm 2.2.2. Set Find.

```
1 Algorithm SetFind( $i$ )
2 // Find the set that element  $i$  is in. Return the root of the set.
3 {
4     while ( $p[i] \geq 0$ ) do  $i := p[i]$ ;
5     return  $i$ ;
6 }
```

Disjoint Sets – Weighting Rule

- Algorithm `SetFind(i)` has the complexity $\mathcal{O}(h)$, where h is the height of the tree the element i is in.
- Algorithm `SetUnion(i, j)` has the time complexity $\mathcal{O}(1)$.
 - However, each union operation increases the height of the tree by 1.
 - Thus, after some union operations the tree might become skewed and the execution time of `SetFind` increases.
 - This issue can be alleviated by using the **weighting rule**.

Definition 2.2.3. Weighting rule for set union.

If the number of nodes in the tree with root i is less than the number of nodes in the tree with root j , then make j the parent of i ; otherwise make i the parent of j .

- In order to implement the weighting rule, we need to know the number of elements in each set. This can be done using the root location in the p array. Set it to $-count(i)$, $count(i)$ is the number of elements in set i .
- Example: the disjoint sets can be represented as

	1	2	3	4	5	6	7	8	9	10
p	-4	5	-3	3	-3	3	1	1	1	5

Algorithm 2.2.4. Weighted Set Union.

```
1 Algorithm WeightedUnion(i, j)
2 // Form union of two sets with roots, i and j, using the weighting rule.
3 //  $p[i] = -count(i)$  and  $p[j] = -count(j)$ .
4 {
5      $temp := p[i] + p[j]$ ; // Note that  $temp < 0$ .
6     if ( $p[i] > p[j]$ ) then { // i has fewer elements.
7          $p[i] := j$ ;  $p[j] := temp$ ;
8     }
9     else { // j has fewer elements.
10         $p[j] := i$ ;  $p[i] := temp$ ;
11    }
12 }
```

- Using this algorithm, the depth of the union tree can be controlled.

Weighted Set Union – Complexity

Lemma 2.2.5.

Assume that we start with a forest of trees, each having one element. Let T be a tree with m nodes created as a result of a sequence of unions each performed using `WeightedUnion` algorithm. The height of T is no greater than $\lfloor \lg m \rfloor + 1$.

Proof. The first step is true when two sets of one element are united. Assume the Lemma is true for the first $m - 1$ operations, consider the last step of the union operations, `WeightedUnion`(k, j). If set j has a elements, then set k has $m - a$ elements. And, $1 \leq a \leq m/2$. The height of T must be the same as that of k or one more than that of j . In the former case, the height of T is $\leq \lfloor \lg(m - a) \rfloor + 1 \leq \lfloor \lg m \rfloor + 1$. In the latter case, the height of T is $\leq \lfloor \lg a \rfloor + 2 \leq \lfloor \lg m/2 \rfloor + 2 \leq \lfloor \lg m \rfloor + 1$. □

- Thus, the union set created using Algorithm `WeightedUnion` has no more than $\lfloor \lg m \rfloor + 1$ levels.
- And the time complexity of `Find` algorithm on the resulting set is $\mathcal{O}(\lg m)$.

Disjoint Sets – Collapsing Find

- The height of a set may still be improved using the **collapsing rule**.

Definition 2.2.6. Collapsing Rule.

If j is an element on the path from i to its root and $p[i] \neq \text{root}(i)$, then set $p[j]$ to $\text{root}(i)$.

- The **CollapsingFind** algorithm below utilizes this rule.

Algorithm 2.2.7. Collapsing Find.

```
1 Algorithm CollapsingFind( $i$ )
2 // Find the root of  $i$ , and collapsing the elements on the path.
3 {
4      $r := i$ ;
5     while ( $p[r] > 0$ ) do  $r := p[r]$ ; // Find the root.
6     while ( $i \neq r$ ) do { // Collapse the elements on the path.
7          $s := p[i]$ ;  $p[i] := r$ ;  $i := s$ ;
8     }
9     return  $r$ ;
10 }
```

Ackermann's Function

Definition 2.2.8. Ackermann's function.

The Ackermann's function is defined as

$$\begin{aligned} A(1, j) &= 2^j && \text{for } j \geq 1, \\ A(i, 1) &= A(i-1, 2) && \text{for } i \geq 2, \\ A(i, j) &= A(i-1, A(i, j-1)) && \text{for } i, j \geq 2. \end{aligned} \quad (2.2.1)$$

Also define

$$\alpha(p, q) = \min\{z \geq 1 \mid A(z, \lfloor \frac{p}{q} \rfloor) > \lg q\}, p \geq q \geq 1. \quad (2.2.2)$$

$$\begin{array}{llll} A(1, 1) = 2 & A(1, 2) = 4 & A(1, 3) = 8 & A(1, 4) = 16 \\ A(2, 1) = 4 & A(2, 2) = 16 & A(2, 3) = 2^{16} & A(2, 4) = 2^{65536} \\ A(3, 1) = 16 & A(3, 2) \gg 2^{65536} & & \\ A(4, 1) \gg 2^{65536} & & & \end{array}$$

- A is very fast growing function and α is a very slow growing function.
- Note that $A(3, 1) = 16$, $\alpha(p, q) \leq 3$ for $q < 2^{16} = 65,536$ and $p > q$.
- Since $A(4, 1)$ is a very large number, $\alpha(p, q) \leq 4$ for all practical purposes.

Lemma 2.2.9. Tarjan and Van Leeuwen bounds.

Assume that we start with a forest of trees, each having one node. Let $T(f, u)$ be the maximum time required to process any intermixed sequence of f finds and u unions. Assume that $u \geq n/2$, then

$$k_1[n + f \cdot \alpha(f + n, n)] \leq T(f, u) \leq k_2[n + f \cdot \alpha(f + n, n)] \quad (2.2.3)$$

for some positive constants k_1 and k_2 .




- Proof please see textbook [Cormen], pp. 575-581.
- Thus, manipulating disjoint sets are rather efficient.
- Though algorithms (2.2.1), (2.2.2), (2.2.4), and (2.2.7) assume the disjoint sets are represented using a simple array, they can be implemented if the disjoint sets are represented using linked lists as well.
- The complexities are the same with either data structure.

Graphs



- A graph consists of two sets V and E .
 - The set V is a finite, nonempty set of **vertices**.
 - The set E is a set of pairs of vertices; these pairs are called **edges**.
 - They are also denoted by $V(G)$ and $E(G)$.
 - And the graph is also denoted by $G(V, E)$.
- In an **undirected graph** the pair of vertices representing any edge is unordered.
 - Thus, the pairs (u, v) and (v, u) represent the same edge.
- In a **directed graph** each edge is represented by a direct pair $\langle u, v \rangle$; u is the **tail** and v is the **head**.
 - And, $\langle u, v \rangle$ and $\langle v, u \rangle$ represent two different edges.
 - In a directed graph the edges are drawn as arrows and they are drawn from tail to head.

Graph Examples

- Examples



- Note that G_1 and G_2 are undirected graphs; G_3 is a directed graph.
- G_1 is a complete graph; G_2 is a tree.
- The following graphs are **not** studied in our classes:
 - **Graphs with self-edges**, which have edges connecting the same vertex.
 - **Multi-graph**, which has multiple edges between the same two vertices.



Adjacency

- The number of distinct unordered pairs (u, v) with $u \neq v$ in a graph with n vertices is $n(n-1)/2$.
 - This is the maximum number of edges in any n -vertex, undirected graph.
 - An n -vertex, undirected graph with exactly $n(n-1)/2$ edges is said to be **complete**.
 - In case of a direct graph with n vertices, the maximum number of edges is $n(n-1)$.
- If (u, v) is an edge in $E(G)$, then we say vertices u and v are **adjacent** and edge (u, v) is **incident** on vertices u and v .
- If $\langle u, v \rangle$ is a directed edge, the vertex u is **adjacent to** v and v is **adjacent from** u .
 - The edge $\langle u, v \rangle$ is **incident** to u and v .
- A **subgraph** of $G = (V, E)$ is a graph $G' = (V', E')$ such that $V'(G') \subseteq V(G)$ and $E'(G') \subseteq E(G)$.

Paths and Cycles

- A **path** from vertex u to vertex v in a graph $G = (V, E)$ is a sequence of vertices $u, i_1, i_2, \dots, i_k, v$, such that $(u, i_1), (i_1, i_2), \dots, (i_k, v)$ are edges in $E(G)$.
 - If $G = (V, E)$ is directed, then the path consists of the edges $\langle u, i_1 \rangle, \langle i_1, i_2 \rangle, \dots, \langle i_k, v \rangle$ in $E(G)$.
- The **length** of a path is the number of edges on it.
- A **simple path** is a path in which all vertices except possibly the first and the last are distinct.
- A **cycle** is a simple path in which the first and the last vertices are the same.
 - A **directed cycle** is a cycle in a directed graph.
- In an undirected graph $G = (V, E)$, two vertices u and v are said to be **connected** if and only if there is a path in G from u to v .
- An undirected graph is said to be **connected** if and only if for every pair of distinct vertices u and v in $V(G)$, there is a path from u to v .
- A **connected component** or simply a component H of an undirected graph is a **maximal** connected subgraph.
 - By maximal we mean that G contains no other subgraph that is both connected and properly contains H .


Graph Degrees

- A **tree** is a connected acyclic (contain no cycles) graph.
- A directed graph $G = (V, E)$ is said to be **strongly connected** if and only if for every pair of distinct vertices u and v in $V(G)$, there is a directed path from u to v and also from v to u .
- A **strongly connected component** is a maximal subgraph that is strongly connected.
- The **degree** of a vertex is the number of edges incident to that vertex.
- If $G = (V, E)$ is a directed graph, we define the **in-degree** of a vertex v to be the number of edges for which v is the head.
 - The **out-degree** is defined to be the number of edges for which v is the tail.
- If d_i is the degree of vertex i in a graph $G = (V, E)$ with n vertices, then the number of edge is


$$e = \left(\sum_{i=1}^n d_i \right) / 2. \quad (2.2.4)$$

Graph Representation – Adjacency Matrix


- Let $G = (V, E)$ be a graph with n vertices, $n \geq 1$. The **adjacency matrix** A is a two-dimensional $n \times n$ matrix with the property that $A[i, j] = 1$ if and only if the edge (i, j) ($\langle i, j \rangle$ for a directed graph) is in $E(G)$. $A[i, j] = 0$ if there is no such edge in $E(G)$.



$$\begin{bmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix}$$



$$\begin{bmatrix} 0 & 1 & 1 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \end{bmatrix}$$



$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

Graph Representation – Adjacency Matrix, II





- The adjacency matrix for an undirected graph is symmetric.
 - This is due to that if the edge (i, j) is in $E(G)$ then the edge (j, i) is also in $E(G)$.
- The adjacency matrix for a directed graph may not be symmetric.
- The space needed to represent for a adjacency matrix is n^2 bits.
 - The undirected graph needs only half of this space.
- For an undirected graph the degree of any vertex i is its row sum:

$$\sum_{j=1}^n A[i][j]. \tag{2.2.5}$$



- For a directed graph the row sum is the out-degree and the column sum is the in-degree.
- The adjacency matrix approach to represent the graph is not the most efficient way in both space and execution time.
 - It does not take advantage of the sparsity of the graph.
 - For example, the time complexity to find the number of edges of a graph, with n vertices, represented by a adjacency matrix is $\mathcal{O}(n^2)$.

Graph Representation – Adjacency Lists

- A graph, $G = (V, E)$, of n vertices, can also be represented by n linked lists.
 - Each vertex has a linked list to represent the adjacent vertices.
- Examples



Adjacency Lists – Examples



- For an undirected graph with n vertices and e edges, the adjacency list representation requires n head nodes and $2e$ list nodes.
- The degree of any vertex in an undirected graph can be determined by counting the number of nodes in the adjacency list.
 - Hence the total number of edges can be determined in $\mathcal{O}(n + e)$ time.
- For a directed graph, the out-degree of any vertex is again the number of nodes of its adjacency list.
- The in-degree may need to have another **inverse adjacency list**.

Weighted Edges

- In many applications, the edges of a graph have weights assigned to them. Thus, the adjacency matrix and adjacency lists need to accommodate these weights information.
- The adjacency matrix can store the weight of edge $\langle i, j \rangle$ to $A[i][j]$ directly.
 - No extra storage is required.
 - Space complexity is $\mathcal{O}(n^2)$.
- For the adjacency lists, each node of the list needs to have an additional field to store the weight.
 - In terms of space complexity, it is still the same as $\Theta(e)$, where e is the number of edges in $G = (V, E)$, Or, in worst-case $\mathcal{O}(n^2)$.

Summary

- Disjoint sets.
 - Set union.
 - Set find.
 - Weighted set union.
 - Collapsing set find.
- Graphs
 - Definitions.
 - Adjacency matrix.
 - Adjacency lists.