

## Unit 5.3 The Greedy Method, III

Algorithms

EE3980

Apr. 25, 2019

### Optimal Storage on Tapes

- Given a sequentially accessed magnetic tape and  $n$  programs
  - These  $n$  programs,  $1, 2, \dots, n$ , are to be stored on the tape
  - Each program has the length  $\ell_i$ ,  $1 \leq i \leq n$ .
  - The tape is always accessed from the beginning.
  - Thus, if the  $k$ th program is accessed it needs  $t_k = \sum_{j=1}^k \ell_j$  amount of time.
  - The objective is to determine the order of the  $n$  program such that the **mean retrieval time (MRT)**, defined as  $\frac{1}{n} \sum_{k=1}^n t_k$ , is minimum.
  - Since  $n$  is given, the minimizing MRT is equivalent to minimizing  $\sum_{k=1}^n \sum_{j=1}^k \ell_{i_j}$ , where  $i_j$ ,  $1 \leq j \leq n$  is a permutation of  $\{1, 2, \dots, n\}$ .

# Optimal Storage on Tapes — Example

- Example

- $n = 3$  and  $\{l_1, l_2, l_3\} = \{5, 10, 3\}$ .
- There are 6 permutations all of which are feasible solutions.

Ordering	$\sum_{k=1}^n \sum_{j=1}^k l_{i_j}$	
1,2,3	$5 + (5+10) + (5+10+3)$	= 38
1,3,2	$5 + (5+3) + (5+3+10)$	= 31
2,1,3	$10 + (10+5) + (10+5+3)$	= 43
2,3,1	$10 + (10+3) + (10+3+5)$	= 41
3,1,2	$3 + (3+5) + (3+5+10)$	= 29
3,2,1	$3 + (3+10) + (3+10+5)$	= 34

- The optimal ordering is  $\{3, 1, 2\}$ .

# Optimal Storage on Tapes — Optimality and Complexity

- Note that the objective function can be written as

$$\begin{aligned} \sum_{k=1}^n \sum_{j=1}^k l_{i_j} &= (l_{i_1}) + (l_{i_1} + l_{i_2}) + (l_{i_1} + l_{i_2} + l_{i_3}) + \dots \\ &= nl_{i_1} + (n-1)l_{i_2} + (n-2)l_{i_3} + \dots \end{aligned}$$

- Thus  $l_{i_1}$  should be the smallest possible to reduce MRT
- Once  $i_1$  is determined,  $l_{i_2}$  should be the smallest among the remaining programs.

## Theorem 5.3.1.

If  $l_1 \leq l_2 \leq \dots \leq l_n$ , then the ordering  $i_j, 1 \leq j \leq n$ , minimizes

$$\sum_{k=1}^n \sum_{j=1}^k l_{i_j} \tag{5.3.1}$$

over all possible permutation of  $i_j$ .

- Thus, the optimal storage on tape problem reduces to the ordering of the  $n$  programs by their lengths —  $\mathcal{O}(n \lg n)$ .

# Optimal Storage on Tapes — Multi-tape Case

- The number of tapes can be  $m$ ,  $m \geq 1$
- The program should be distributed over the  $m$  tapes
- The following algorithm assigns the  $n$  programs to  $m$  tapes that achieves minimum MRT.

## Algorithm 5.3.2. Multi-tape Storage

```
// Store  $n$  programs, each has length  $\ell [1 : n]$ , onto  $m$  tapes.
// Input: int  $n, m, \ell[1 : n]$ ; Output: Program storage assignments.
1 Algorithm store( $n, \ell, m$ )
2 {
3     Sort( $\ell$ ) in non-decreasing order ;
4      $j := 1$ ; // Next tape to store on
5     for  $i := 1$  to  $n$  do {
6         Append program  $i$  to tape  $j$ ;
7          $j := (j + 1) \bmod m$ ;
8     }
9 }
```

## Multi-tape Storage — Complexity and Optimality

- Note that the time complexity of Algorithm (5.3.2) is dominated by line 3 **Sort** function, which has time complexity of  $\mathcal{O}(n \lg n)$ .

### Theorem 5.3.3.

If  $\ell_1 \leq \ell_2 \leq \dots \leq \ell_n$ , then Algorithm (5.3.2) generates an optimal storage pattern for  $m$  tapes.

- Proof see textbook [Horowitz], pp. 251 – 252.
- Note that there can be more than one optimal assignment if some program lengths are equal.

# Merging Multi-Files

- Merging two files containing  $n$  and  $m$  records need to move  $n + m$  data.
- Let's consider **two-way merge pattern** only, i.e., merge two files each time.
- Given multiple files with different number of records, what is the order of binary merge to achieve minimum number of moves.
- Example
- 3 sorted files  $x_1$ ,  $x_2$  and  $x_3$  with 30, 20 and 10 data each.
  1. Merge  $x_1$  and  $x_2$  first requires 50 moves;  
Then merge with  $x_3$  requires another 60 moves;  
Total number of moves is 110.
  2. Merge  $x_2$  and  $x_3$  first in 30 moves;  
Then merge with  $x_1$  in 60 moves;  
Total number of moves is 90.
- Observation: to merge smaller files first.

## Merging Multi-Files — Algorithm


- Using the node structure as

```
1 struct node {
2     struct node *lchild, *rchild;
3     integer w;
4 }
```

### Algorithm 5.3.4. Binary Merge Tree

```
// Generate binary merge tree from list of  $n$  files.
// Input: int  $n$ , list of files; Output: optimal merge order.
1 Algorithm Tree( $n$ , list)
2 {
3     for  $i := 1$  to  $(n - 1)$  do {
4          $pt := \text{new node}$ ;
5          $pt \rightarrow lchild := \text{Least}(list)$ ; // Find and remove min from list.
6          $pt \rightarrow rchild := \text{Least}(list)$ ;
7          $pt \rightarrow w := (pt \rightarrow lchild) \rightarrow w + (pt \rightarrow rchild) \rightarrow w$ ;
8         Insert(list,  $pt$ );
9     }
10    return Least(list);
11 }
```

# Merging Multi-Files — Example



# Merging Multi-Files — Properties

- Two functions are used the **Tree** algorithm
  - **Least** finds and removes the smallest data item from *list*,
  - **Insert** inserts the tree *pt* to the *list*.
- In the preceding example
  - Data files are sorted by their sizes and arranged in a simple list initially.
  - A two-way merge is then applied for the first two data files.
    - A tree is created with the data files as leaves – also called **external nodes**, shown in squares.
    - A new node, an **internal node**, is created with sum of its children as its weight, shown in a circle.
  - At the end, a binary tree is obtained.
  - For an external node with size  $q_i$  at level  $i$  of the binary tree
    - Its distance to the root is  $d_i = i - 1$ .
    - And it contributes  $d_i q_i$  moves to the total number of moves.
    - And the total number of moves of the merge operations is

$$\sum_{i=1}^n d_i q_i \tag{5.3.2}$$

This sum is called the **weighted external path length** of the tree.



# Merging Multi-Files — Complexity and Optimality

- In Algorithm (5.3.4), the **while** loop is executed  $n - 1$  times.
- If the *list* is kept in non-decreasing order, then
  - **Least** takes  $\mathcal{O}(1)$  time,
  - And **Insert** takes  $\mathcal{O}(n)$  time,
  - Thus, the overall time complexity is  $\mathcal{O}(n^2)$ .
- If the *list* is represented by a **minheap** then
  - Both **Least** and **Insert** can be done in  $\mathcal{O}(\lg n)$  time,
  - The overall time complexity is  $\mathcal{O}(n \lg n)$ .


## Theorem 5.3.5.

If the *list* initially contains  $n \geq 1$  single node trees with weight values  $\{q_1, q_2, \dots, q_n\}$ , then the **Tree** algorithm (5.3.4) generates an optimal two-way merge tree for  $n$  files with these lengths.

- Proof see textbook [Horowitz], p. 257.
- The two-way merge can be generalized to  $k$ -way merge problems.
- Huffman code is an application of two-way merge method.

# Single-Source Shortest Paths

- Given a directed graph  $G = (V, E)$ , a weight function on the edges in  $E$ ,  $w : E \rightarrow \mathbb{R}$ , and source vertex  $v_0$ , the **single-source shortest path problem** is to determine the shortest paths from  $v_0$  to all remaining vertices.
- The weight of a path  $P = \langle v_1, v_2, \dots, v_k \rangle$  is the sum of the weights of the edges,  $w(P) = \sum_{k=1}^{k-1} w(v_k, v_{k+1})$ .
- Define  $\delta(s, v) = \min\{w(P) \mid P \text{ is a path from } s \text{ to } v\}, s, v \in V$ .
- The problem is to find  $\delta(s, v)$  for all  $v \in V$ .
- Example



$v_0 = 1$

	Path	Length
1	1,4	10
2	1,4,5	25
3	1,4,5,2	45
4	1,3	45

# Single-Source Shortest Paths – Properties

## Lemma 5.3.6. Subpaths of shortest paths are shortest paths

Given a weighted, directed graph  $G = (V, E)$  with weight function  $w : E \rightarrow \mathbb{R}$ , if  $p = \langle v_0, v_1, \dots, v_k \rangle$  is a shortest path from vertex  $v_0$  to vertex  $v_k$  and, for any  $i$  and  $j$  such that  $0 \leq i < j \leq k$ ,  $p_{ij} = \langle v_i, v_{i+1}, \dots, v_j \rangle$  is a subpath from vertex  $i$  to vertex  $j$ , then  $p_{ij}$  is a shortest path from  $v_i$  to  $v_j$ .

- Proof please see textbook [Cormen], p. 645.
- In this section, the weight of an edge is assumed to be non-negative.
- Thus, the weight of any cycle is also non-negative.
- A shortest path should not include any cycle, since the cycle can be removed to obtain a shorter path.
- Therefore, any shortest paths has at most  $n - 1$  edges,  $n = |V|$ .

# Single-Source Shortest Paths – Algorithm


## Algorithm 5.3.7. Dijkstra's Algorithm

```
// Find the shortest paths from  $v$  and fill the path lengths to  $d[1 : n]$  array.
// Input: int  $n$ , node  $v$ , weight  $w[1 : n]$ ; Output: distance array  $d[1 : n]$ .
1 Algorithm ShortestPaths( $n, v, w, d$ )
2 {
3     for  $i := 1$  to  $n$  do {
4          $S[i] := \text{false}$  ;  $d[i] := w[v, i]$  ;
5     }
6      $S[v] := \text{true}$  ;  $d[v] := 0$  ;
7     for  $k := 2$  to  $n$  do {
8         Find  $i$  such that  $S[i] = \text{false}$  and  $d[i]$  is minimum ;
9          $S[i] := \text{true}$  ;
10        for ( each  $j$  adjacent to  $i$  and  $S[j] = \text{false}$  ) do {
11            if ( $d[j] > d[i] + w[i, j]$ ) then
12                 $d[j] := d[i] + w[i, j]$  ;
13        }
14    }
15 }
```

- $S[1 : n]$  is an array to indicate if the shortest path for a vertex has been found or not.

# Single-Source Shortest Paths – Example

- Given the graph on the left, the shortest paths to all other vertices are found.



Vertex		1	2	3	4	5	6
k=1	<i>S</i>	1	0	0	0	0	0
	<i>d</i>	0	50	45	10	$\infty$	$\infty$
k=2	<i>S</i>	1	0	0	1	0	0
	<i>d</i>	0	50	45	10	25	$\infty$
k=3	<i>S</i>	1	0	0	1	1	0
	<i>d</i>	0	45	45	10	25	$\infty$
k=4	<i>S</i>	1	1	0	1	1	0
	<i>d</i>	0	45	45	10	25	$\infty$
k=5	<i>S</i>	1	1	1	1	1	0
	<i>d</i>	0	45	45	10	25	$\infty$
k=6	<i>S</i>	1	1	1	1	1	0
	<i>d</i>	0	45	45	10	25	$\infty$

- Note that to print out the shortest path for each vertex, an additional array,  $p[1 : n]$ , to record the predecessor of the path is needed and line 12 should be modified to add  $p[j] := i$ .

# Single-Source Shortest Paths – Complexity

- Algorithm (5.3.7) is dominated by the **for** loop in lines 7-14.
  - This loop executes  $(n - 1)$  times.
  - Line 8 takes  $\mathcal{O}(n)$  time,
  - The **for** loop on Lines 10-13 takes  $\mathcal{O}(n)$  time,
  - The overall complexity is  $\mathcal{O}(n^2)$ .
- The time complexity of the algorithm can be improved to  $\mathcal{O}((n + |E|) \lg n)$  with proper data structures.
- Algorithm (5.3.7) generates the shortest paths from vertex  $v$  to all other vertices in  $G$ .
- The edges of the shortest paths from a vertex  $v$  to all other vertices in a connected undirected graph  $G$  form a spanning tree – **shortest-path spanning tree**.
  - Different source vertex can have different spanning tree.
  - This tree can also be different from the minimum-cost spanning tree.



## Theorem 5.3.8.

Given a weighted, directed graph  $G = (V, E)$  with non-negative weight function  $w$  and a source vertex  $v$ , Algorithm (5.3.7) produces  $d[u] = \delta(s, u)$  for all vertices  $u \in V$ .

- Proof please see textbook [Cormen], p. 660-661.
- As a corollary of the above theorem, if the predecessor array  $p[1 : n]$  is also implemented in Algorithm (5.3.7) then the solutions printed using array  $p$  are the shortest paths from vertex  $v$ .

## Single-Source Shortest Paths – Directed Acyclic Graphs

- A directed acyclic graph (DAG)  $G = (V, E)$  is a directed graph without any cycles.
- Since no cycle exists, the non-negative weight function constraint can be relaxed – no negative cycle possible.
- In this case, the following algorithm is effective in finding the shortest path

### Algorithm 5.3.9. Shortest path for DAG

```
// Find the shortest paths from  $v$  and fill the path lengths to  $d[1 : n]$  array.
// Input: int  $n$ , node  $v$ , weight  $w[1 : n]$ ; Output: distance array  $d[1 : n]$ .
1 Algorithm ShortestPaths_DAG( $n, v, w, d$ )
2 {
3     Let  $slist[1 : n]$  be the topological sort of the directed acyclic graph ;
4      $d[v] := 0$ ;
5     for  $i := 1$  to  $n$  do {
6         for ( each  $j$  adjacent to  $slist[i]$ ) do {
7             if ( $d[j] > d[i] + w[i, j]$ ) then
8                  $d[j] := d[i] + w[i, j]$ ;
9         }
10    }
11 }
```

# DAG Single-Source Shortest Paths


- The complexity of the algorithm
  - The topological sort, **line 3**, has the complexity  $\mathcal{O}(n + e)$ 
    - $n = |V|$ ,  $e = |E|$
  - The **if** statement, **lines 7-8**, executes  $e$  times
  - The overall complexity is  $\mathcal{O}(n + e)$ .

## Theorem 5.3.10.

Given a directed acyclic graph  $G = (V, E)$ , algorithm (5.3.9) produces  $d[v] = \delta(s, v)$ ,  $v \in V$ .

- Proof please see textbook [Cormen], pp. 656-657.
- The shortest path can be printed if the predecessor array is also kept.

## DAG Single-Source Shortest Paths – Example




- Given a weighted DAG above, if vertex  $B$  is the source we have the shortest path length for each vertex below.


Vertex	A	B	C	D	E	F	G	H	I	J
$\delta$	$\infty$	0	$\infty$	$\infty$	1	4	3	5	6	7

# DAG Single-Source Shortest Paths – Example, II

- Execution sequences of Algorithm (5.3.9) is shown below
- After line 4:




- In the for loop,  $i = 3$




# DAG Single-Source Shortest Paths – Example, III

- In the for loop,  $i = 4$




- In the for loop,  $i = 5$




# DAG Single-Source Shortest Paths – Example, IV


- In the **for** loop,  $i = 6$




- In the **for** loop,  $i = 8$



# DAG Single-Source Shortest Paths – Application



- The weighted direct graph is actually the digital circuit delay path, and the shortest path represent the delay from input  $B$  to various nodes.
- INV delay = 1, ND2 delay = 2, NR2 delay = 3.



- Optimal storage on tapes.
- Optimal merge patterns.
- Single-source shortest path.

