

Function and Operator Overloading

Introduction to Programming

12/26/2019

Function Overloading

- C++ allows functions to have the same names
 - But the parameters, number or types, need to be different
 - Function overloading
 - To have similar functions with different data types
 - Return type is irrelevant
- C++ compiler will use the best matched function
 - Argument promotion might be performed
- Example: `exq1.cpp`

Operator Overloading

- Operators: shorthand representations help in technical and nontechnical communications
- C++ provides user-defined types, classes, and most of the operators are not defined for these classes
- Operators for classes are user-defined
- For example, `+` and `*` are well known for complex numbers
- Define these operators can help program development
- Many of the most obvious uses of operator overloading are for concrete types.
- But the usefulness of user-defined operator is not restricted to concrete types
- Example: `exq20.h`, `exq21.cpp`, `exq2.cpp`

Operator Functions

- Most of the operators can be defined for classes

`+` `-` `*` `/` `%` `^` `&` `|` `~` `!` `=` `<` `>` `+=` `-=` `*=` `/=` `%=` `+=`
`&=` `|=` `<<` `>>` `>>=` `<<=` `==` `!=` `<=` `>=` `&&` `||` `++` `--` `->*`
`,` `->` `[]` `()` `new` `new[]` `delete` `delete[]`

- The following operators can not be redefined
 - `::` scope resolution
 - `.` member selection
 - `.*` member selection through pointer to member
 - `? :` ternary condition expression
 - `sizeof`
 - `typeid`
- The first 3 operators take a name, rather than value, as the second operand

Operator Functions

- It is not possible to define new operator token
 - For example: `**` is not defined
- The name of an operator function is the keyword `operator` followed by the operator itself
 - For example: `operator+`
- Two ways of using operator function
 - Shorthand:

```
a + b
```

- Explicit function call:

```
a.operator+(b); // a function call
```

Binary Operators

- A binary operator can be defined by either a nonstatic member function taking one argument or a nonmember function taking two arguments.
 - Example:

```
class myClass {  
    myClass operator+(myClass b);    // nonstatic function member  
};  
myClass operator-(myClass a, myClass b) // utility function
```

- Usage:

```
c = a + b;  
c = a.operator+(b);  
c = operator-(a, b);
```

Unary Operators

- A unary operator, whether prefix or postfix, can be defined by either a nonstatic member function taking no argument or a nonmember function taking one argument.
- Example:

```
class myClass {  
    myClass operator++(); //nonstatic member function  
}  
myClass operator--(myClass a); // utility function
```

- Usage:

```
++a;  
a.operator++();  
operator++(a);
```

Postfix Unary Operator

- For any postfix unary operator `a++`, it can be interpreted as either `a.operator++(int)` or `operator++(a,int)`
- Example:

```
class myClass {  
    myClass operator++(int); //nonstatic member function  
}  
myClass operator--(myClass a, int n); // utility function
```

- Usage:

```
a++;  
a.operator++(1);  
operator++(a,1);
```

- Please note the differences in implementation for prefix and postfix unary operators

```
class X {
    X* operator&();      // prefix unary operator &
    X operator&(X);     // binary &
    X operator++(int);  // postfix increment
    X operator&(X,X);   // error ternary
    X operator/();     // error unary
};

X operator-(X);       // prefix unary minus
X operator-(X,X);    // binary minus
X operator--(X&,int); // postfix decrement
X operator-();       // error no argument
X operator-(X,X,X);  // error, ternary
X operator%(X);      // error, unary
```

Operators and User-Defined Types

- An operator function must be a member function or takes at least one user-defined type argument
 - Thus not changing existing expression (without user-defined objects)
- Operator function with a basic type as the first argument cannot be a member function
- `=`, `[]`, `()`, `->` must be nonstatic member function so that the first operand is an lvalue.
- Combinations of operators are not assumed
 - `+=` is not `+` and `=`
 - `++` is not `+1` or `+= 1`
- `=` (assignment), `&` (address of) and `,` (sequencing) are predefined
 - but can be made to be private and thus not available to general users

Operators in Namespaces

- Operator function can be defined in namespaces
- Operator function is resolved for $X@Y$ by
 - If X is a class, look for `@` as member function of X or the base of X
 - Look for declarations of `operator@` in the context surrounding $X@Y$
 - If X is defined in namespace N , look for `@` in N
 - If Y is defined in namespace M , look for `@` in M
- Unary operator is resolved analogously

Complex Number Type

- Operators can be defined such that most math shorthand symbols can be applied directly
 - Need copy assignment, assign with scalar, addition with scalar, adding to scalar, unary $-$, multiplication, etc
 - Minimize the number of functions that directly manipulate the representation of an object
 - Keep as member function
 - Other operators defined as nonmember functions
- Example: `exq30.h`, `exq31.cpp`, `exq3.cpp`

Friends

- Member functions specify 3 things
 - They can access private data members
 - Function is in the scope of the class
 - The function must be invoked through an object of the class
- Static member function has only the first two properties
- A friend function has only the first property
- A friend function can be declared in either private or public part
- A member function can be a friend of another class
- All the member functions can be Friends of another. Shorthand representation

```
class C1 {                // all member functions of C2
    friend class C2; //    are friends of C1
};
```

- Choose between making a class a member (nested class) or nonmember friend

Subscripting

- The `operator[]` function can be used to give subscripts a meaning for a class object.
- The second argument, the subscript, may be of any type
- It can be used to define vectors, associative arrays, etc
- Example: `exq4.cpp`

```
i = tw["新竹"];
```

Constructors and Destructors

- A constructor is called when an object is created
- Three types of constructors `exq5.cpp`
 - Constructor without initialization

```
Complex z1;
```

- Initialization constructor

```
Complex One(1, 0);
```

- Copy constructor

```
Complex z2 = One;
```

- In function call, the constructor is called for
 - Arguments passed by value
 - And may be for return value
- A destructor is called when a variable is no longer needed
 - A variable is going out of scope
 - End-of-block for local variables
 - End-of-function-call for Passing-by-value arguments

Summary

- Function overloading
- Operator overloading
- Operator functions
 - Binary operators
 - Unary operators
 - Postfix unary operators
 - Operator and user-defined types
- Complex numbers
- Subscripting